

TM

Green John® Chassis

Model GJ 350 Standard Drop Tank Toilet Pages 2 - 3

<http://www.toilets.com/products/greenjohn.htm>

Tan Green John® Model 350T Our Most Popular Model Page 4

Model GJFF 350 Flat Floor Green John® Page 5

Model GJDV 350 Green John® With A Dump Valve Page 5

Green John® Model GJ 350S & Internal Sink Page 6

Model 4545 HWS Dual Hand Wash Station Page 6

What is Included with Every Green John Page 7

ToiletChemicals.com Page 8 - 9

Literature Published on www.Toilets.com™

Emergency Toilet: <http://online.1stflip.com/dnlx/3247/>

Portable Showers: <http://online.1stflip.com/dnlx326a/>

Call: 800-521-6310 (U.S.)

001-586-739-4611 (Int'l)

Green John® Portable Toilet



**2" Aluminum Corners
Ease of Loading
Cost Efficient Transportation**

**Economical, Attractive
Designed for Low Maintenance
Light-Enhancing Roof
Dimensions 41" (1.04m) x
41" (1.04m) x 84" (2.13m)
196 lbs.**


Flip Top Allows for Complete Tank Inspection
Holding Tank is 65 Gallons

Flip top For Complete Tank Cleaning - Tank fits out the Door





2" Aluminum Corners For Durability



Right Side Interior View

Tan Green John® Model 350 Construction Attributes for Long Life in Any Environment



One Piece Aluminum Door Frame

65 Gallon Holding Tank

1200 Liter Holding Tank

Urinal is A No Charge Option



Front View of Flip Top Tank

Our reference list (see below) is testimony to the success of the portable toilets we manufacture and service. The Green John® offers long-term low maintenance sanitation.

References

We were the exclusive sanitation manufacturer and service company for the 1996 Summer Olympic Games in Atlanta, Georgia; Woodstock '99 in Rome, New York; Air Shows; the 2003 Phish Concert in Lewiston, Maine; the 2004 Phish Concert in Newport, Vermont; 15 years as the Sanitation Contractor for the New Orleans Mardi Gras; most natural disasters from 1973 to the present; plus over **one hundred thousand** smaller events over the last 45 years.

Tan Green John®



Our Most Popular Model



Green John® Specialty Models

Green John® is a Reg. Trademark



Dump Valve Model GJDV 350

Please Dump Responsibly



Top View



Flat Floor Model GJFF 350



Cut Off Model GJ 350CO

Toilets.com™, Inc. Porta John®

Toll-Free Phone: 800-521-6310

International Phone: 001-586-739-4611

Fax: 001-586-731-0670

E-Mail: info@toilets.com™

Web Page: <http://www.toilets.com>™



Model GJ 350IS With Internal Sink

The Model GJ 350 can include an internal foot pump operated sink or an external Hand Wash Station as shown below.



Dual Hand Wash Station

Model FPHW 4545

The dimensions of the dual sink unit are:

48" x 24" x 48" (30 inch sink Level)

Weight is 104 pounds

Fresh Water Capacity: 45 Gallons (US)

Waste Water Reservoir: 45 Gallons (US)

What is Included with Every Green John®

www.PortaJohn.com Portable Toilet Consumables

www.toilets.com - www.handsanitizers.com



www.handsanitizers.com™

www.toilets.com™

Hand Sanitizer Dispenser

Included in the Consumables Package




www.handsanitizer.com™

Hand Sanitizer Refill

Included in the Consumables Package

**Installed Price: Free
With Portable Toilet Purchase**



Jumbo Toilet Tissue Holder
Paper Included with
Installation

Equivalent to Five
Standard Rolls of
Toilet Paper

Starter Supply of
Portable Toilet
Deodorizer



PortableToiletChemicals.com ToiletChemicals.com



When ordering with a portable toilet purchase, we ship 1 drum in 11 – 5-gallon pails at the drum price. This reduces the freight cost by reducing the cu. ft. of the freight. The chemical ratio is 1 to 100 gallons of water. To request a quote e-mail:

info@toilets.com[™]

Two 5-gallon drums can ship in any of our portable toilet holding tanks. The chemical mixing ratio is 1 to 100 gallons of water. To request a quote, please E-mail:

info@toilets.com[™]



The mixing ratio of our handy one-gallon size container of our EMJ 2075 is also 1 to 100 and will work in RV and/or portable toilets.

Please feel free to

E-mail: info@toilets.com[™]

EMJ2075

Wild Cherry

Portable Restroom Deodorizer CONCENTRATE

MIXING AND USE DIRECTIONS

EMJ2075-F masks the odor in portable toilet holding tanks. Use in 5 gallons (20 liters) of water, leaving behind a fresh scent. Our chemical will keep a constant deep blue color. The resulting solution can also be used to clean and deodorize the entire unit.

Use the method that works best for you:

<u>Heat/Traffic</u>	<u>RTU Mix</u>	<u>Conc Use</u>
Moderate & Low-Medium	3 - 6 oz (90-180 ml)	1 - 3 oz (30-90 ml)
Moderate & Heavy	4 - 8 oz. (120-240 ml)	1 - 4 oz. (30-120 ml)
Extreme & Low-Medium	4 - 8 oz. (120-240 ml)	1 - 4 oz. (30-120 ml)
Extreme & Heavy	8 - 12 oz. (240-360 ml)	3 - 8 oz. (90-240 ml)

DISPOSAL AND STORAGE

- Triple rinse container.
- Dispose of in sanitary landfill or by method approved by state and local authorities.

DO NOT CONTAMINATE WATER, FEED OR FOOD

ALWAYS KEEP CONTAINER CLOSED WHEN STORED Made in The US

KEEP OUT OF REACH OF CHILDREN

- **CAUTION; DO NOT INGEST. PROTECT EYES AND SKIN FROM CONTACT WITH THIS CHEMICAL. USE EXTREME CARE WHEN HANDLING THIS PRODUCT - THIS PRODUCT WILL STAIN. AVOID PROLONGED OR REPEATED BREATHING OF VAPOR AS THIS MAY CAUSE ALLERGIC REACTION.**

FIRST AID:

For Ingestion: Drink 1 - 2 glasses of water. Induce vomiting by sticking finger down throat or by giving soapy or salty water to drink. Repeat until vomit is clear and call a physician. Never give anything by mouth to an unconscious person.

Eye Contact: Immediately flush with water. Consult a physician immediately.

For Inhalation: Remove person to fresh air. If breathing is difficult, give oxygen. Call a physician.

Skin Contact: Immediately flush with water. Remove and wash contaminated clothing and footwear. If irritation occurs, consult a physician.